



NOLOGY UNIT
of Pharmacy, DDU
SAIT CAMPUS





Purite



SELECT

WARRANTY REGISTRATION
To register for your 12 month warranty
please visit
www.purite.com/warrantyregistration
or call
1-800-848-8484 for a registration card

Wet granulator
FGS











Shaking Incubator
مُهَيِّئَةُ
الْمُحَرِّقَاتِ

NEW BRUNSWICK SCIENTIFIC

Innova 42

Incubator Shaker Series





AIR CO₂

BJPX-Cypress CO₂ CELL INCUBATOR

88.8

50.00

▲ ▼

▶ ◀

⏪ ⏩

⏹

⏺

⏸

⏹

⏺

⏸

⏹

⏺

⏸

BIOBASE

CE

Model: BJPX-Cypress

Serial No: 10000000000000000000

Max. Temp: 37.0°C

Max. Humidity: 95% RH

Max. CO₂: 10.0%

Max. Volume: 100L

Max. Power: 1000W

Max. Weight: 100kg

Max. Dimensions: 1000x1000x1000mm

Model: BJPX-Cypress

Serial No: 10000000000000000000

Max. Temp: 37.0°C

Max. Humidity: 95% RH

Max. CO₂: 10.0%

Max. Volume: 100L

Max. Power: 1000W

Max. Weight: 100kg

Max. Dimensions: 1000x1000x1000mm

CO₂ Incubator

TOP

1. Before using the incubator and CO₂ level, check the incubator and set the CO₂ level of the incubator, which must be within the tolerance and within the CO₂ level range.
2. Each glass bottle must be sealed before using the incubator.
3. Before of use, check the incubator, in order to avoid any error.
4. Check the CO₂ level in the incubator every 24 hours.
5. If all the above are not satisfied, the incubator must be checked.







UltraFreezer Premium Line

PUSH



PULL



37.2
37.0

 BINDER

Root
Baci
M ph
E G

Service - Hotline
BINDER - 1800 100 100
BINDER - 1800 100 100
BINDER - 1800 100 100
BINDER - 1800 100 100
BINDER - 1800 100 100



aisite

infinite F50

TECAN







BROOKFIELD

DV3T

BROOKFIELD

TC-650

Brook
prog
Rh



BROOKFIELD
AMETEK CTX




START STOP ADJUST BEAM

Brookfield DV III
Ultra
programmable
viscometer











Single Punch
Tablet press
machine







TA-60WS

01173



1. 100.000
2. 100.000
3. 100.000
4. 100.000
POWER

SHIMADZU

DSC-60

SHIMADZU



01173







Time for science
Stay ahead of your waste drying time

